



فرست اوتوماشن

Terminal Boxes

Series CZ1220e



Prodcuts Features

- Combined enclosure.
- Wiring from various directions.
- Metal cable glands may be selected.
- IECEx International Approval, ATEX European union certification.



Product Parameter

Product type:	Full plastic Explosion-proof Terminal Boxes (cable end box)
Certification:	CCC IECEX ATEX
Application range (zones):	2G/Gb/zone 1; 2D/Db/zone 21
Min.ambient temperature:	-55°C
Max.ambient temperature:	+55°C
Degree of protection:	IP66/IP65
Rated current:	Copper bar;250A (5×20mm) 400A (10×20mm) 630A (15×20mm)
Clamping range of line pressing terminals:	35 ~ 70mm ² , 35 ~ 240mm ² , 35 ~ 300mm ²
High current terminal:	50 ~ 240mm ²
Material of enclosure:	GRP(anti-static glass fibre reinforced polyester SMC)





فرست اوتوماشن

Terminal Boxes

Series CZ1220e



Contact

info@first-automation.com.eg/ • 01101619222 – 01100200886 • <https://first-automation.com.eg/>






فرست اوتوماشن

Terminal Boxes

Series CZ1220e






Illustration	Method	Order No.
		CZ1220e/092□-□A 2□
		CZ1220e/092□-□A 4□



فرست اوتوماشن

Terminal Boxes

Series CZ1220e





فرست اوتوماشن

Terminal Boxes

Series CZ1220e



Optional Ex components



| CZ0220 Series Plastic stopping plugs, the reducer



| CZ0221 Metal cable glands



| CZ0220 Series Plastic cable glands, stopping plugs



| CZ0226 Increased safety cable glands



| CZ0527, CZ1725/27 Increased safety breathing, drainage valve



| CZ0227 Increased safety metal cable glands



| CZ1725/1C Metal cable glands



| CZ1725/2A Metal cable glands



| CZ1725/3A Metal stopping plug



| CZ1725/1A Metal cable glands



| CZ1725/4A The reducer



| CZ1725/1B Metal cable glands



فرست اوتوماشن

Terminal Boxes

Series CZ1220e



Accessories



M6 Earthing screw

Code: CZ8000-4036/6