



Cable Bushing

Series CZ2000 – 2B



Products Features

- CZ2000/1-BA7 Switch modules have 2P or 4P for options, can be used together with 11 different operation heads (pushbuttons, switches, key operated switches, E-stop pushbuttons).
- CZ2000/1-BB7 control switch module, available in 2P~12P control functions.
- CZ2000/1-BD7 Signal lamp module, LED light source, four voltage ratings, five colors in red, green, yellow, white, blue are available.
- CZ2000/1-BG7 Light-control switch module, can be applied to Ex d or Ex e enclosure.
- CZ2000/1-BP7 Flameproof potentiometer module, 100Ω~2MΩ, Max 0.1W.
- CZ2000/1-B□ switch handle, to operate the switch modules 63A, 100A, 250A, 400A, 630A from the front. or to operate the switch modules 100A, 250A from the side.
- CZ2000/1-BW7 observation window for instruments φ64mm, φ89mm.
- CZ2000/1-BI7 observation and operation window for instruments, window have four sizes.
- CZ2000/2A Flameproof cable bushing, thread size M16 to M80, conductor size 0.5mm²-120mm².
- CZ2000/2B Flameproof cable bushing, thread M50, conductor size 0.5mm²-120mm², to be used for the connection of two Ex d enclosures.
- CZ2000/3 Flameproof binding pillar, thread M42, wiring capacity 50mm²-240mm².
- International IECEx approval, European union ATEX certifications (U).
- Accessories: special spanner, label, safety latch.



فرست اوتوماشن

Cable Bushing

Series CZ2000 – 2B



Product Parameter

Product type:	Exd flameproof cable bushing
Certification:	IECEX ATEX
Application range (zones):	2G/Gb/zone 1; 2Db/Db/zone 21
Min.ambient temperature:	-55°C
Max.ambient temperature:	+60°C
Min.service temperature:	-55°C
Max.service temperature:	+100°C
Degree of protection:	IP66
Rated voltage:	up to 1000V AC
Rated cross section:	0.5 ~ 120mm ²
Material of enclosure:	aluminum-alloy






فرست اوتوماشن

Cable Bushing

Series CZ2000 – 2B




Illustration	Order No.
	CZ2000/2B-LM50-64-0.5
	CZ2000/2B-LM50-48.0-75
	CZ2000/2B-LM50-38-1
	CZ2000/2B-LM50-38-15.
	CZ2000/2B-LM50-26-25.
	CZ2000/2B-LM50-19-4
	CZ2000/2B-LM50-14-6
	CZ2000/2B-LM50-8-10
	CZ2000/2B-LM50-7-16
	CZ2000/2B-LM50-4-25
	CZ2000/2B-LM50-3-35
	CZ2000/2B-LM50-2-50
	CZ2000/2B-LM50-1-70
	CZ2000/2B-LM50-1-95
CZ2000/2B-LM50-1-120	



فرست اوتوماشن

Cable Bushing

Series CZ2000 – 2B



- ① CZ2000/2B Ex d Flameproof cable bushing
- ② Ex d box

Outline dimensions

