



فرست اوتوماشن

# Light Fittings

Series CZ0873 /2BZDL(B)



## Products Features

- The highest class of flameproof is up to IIC.
- The degree of protection is up to IP66.
- IECEX, ATEX International certification.

## Product Parameter

<b>Product type:</b>	Explosion-proof aviation obstruction light fittings
<b>Certification:</b>	CCC IECEX ATEX
<b>Application range (zones):</b>	2G/Gb/zone 1; 2D/Db/zone 21
<b>Min.ambient temperature:</b>	-40°C
<b>Max.ambient temperature:</b>	+55°C
<b>Degree of protection:</b>	IP66
<b>Rated voltage:</b>	220V AC 50Hz, 220~240V AC 50/60Hz



فرست اوتوماشن

# Light Fittings

Series CZ0873 /2BZDL(B)



Contact

info@first-automation.com.eg/ • 01101619222 – 01100200886 • <https://first-automation.com.eg/>





فرست اوتوماشن

# Light Fittings



Series CZ0873/2BZDL(B)



座式安裝





掛式安裝



## CZ0873-2BJD, CZ0873-2BTD

座式安裝



## CZ0873-2BZDL(B)



فرست اوتوماشن

# Light Fittings

Series CZ0873/2BZDL(B)



Illustration

Order No.



**CZ0873/2BZDL-R25-□-B**

**CZ0873/2BZDB-W25-□-B**

**CZ0873/2BZDB-R25-□-B**

Contact

info@first-automation.com.eg/ • 01101619222 – 01100200886 • <https://first-automation.com.eg/>



فرست اوتوماشن

# Light Fittings

Series CZ0873 /2BZDL(B)



## Optional Ex components



| CZ0220 Series Plastic stopping plugs, the reducer



| CZ0221 Metal cable glands



| CZ0220 Series Plastic cable glands, stopping plugs



| CZ0226 Increased safety cable glands



| CZ0527, CZ1725/27 Increased safety breathing, drainage valve



| CZ0227 Increased safety metal cable glands



| CZ1725/1C Metal cable glands



| CZ1725/2A Metal cable glands



| CZ1725/3A Metal stopping plug



| CZ1725/1A Metal cable glands



| CZ1725/4A The reducer



| CZ1725/1B Metal cable glands